



# Task Factory Case Transform

Last Modified on 30 September 2020

🔔 Task Factory users running version 2020.1.4 or older (released prior to May 27, 2020): **There's an important Task Factory update.** Please visit [here](#) for more details.


## Case Transform

Transform Icon	Transform Description
	The <b>Case and Standardization Transform</b> is a transform that allows the user to format the case of source data using different styles of formatting.



## Actions

In the **Choose Action** column, selecting on the tag displays the choose action drop down menu.



## Action

**Note:** By default no action is selected. Selecting an action opens the parameter options.

Option	Description
<b>Convert string to proper case</b>	This action is used to transform the case of source data.

## Output Action

The **Case Transform** has the two output options:

Option	Description
<b>Replace the column data with fixed data</b>	
<b>Output the fixed data to a new output column</b>	If selected, the new output column name is <b>inputcolumn_output</b> . For example, if the source column name is <b>FirstName</b> , the output column is <b>FirstName_output</b> .

## Parameters

**Note:** Parameters become available once an action is selected.

Option	Description
<b>Style</b>	Select the style table to use, when <b>SimpleProperCase</b> is selected then all other parameters are ignored.
<b>Convert Irish Surnames</b>	Set true or false to indicate whether or not to convert Irish surnames. ex. OHARA converts to O'Hara.
<b>Use Typographic Apostrophe</b>	Set this property true or false to indicate whether or not to use the typographic apostrophe in place of the standard apostrophe when converting Irish surnames.
<b>Correct Common Misspell</b>	Set this property true or false to indicate whether or not to correct common misspellings. ex. acn is corrected to can.
<b>Alphanumeric Upper</b>	Set this property true or false to indicate whether or not to convert alphanumeric data to all uppercase.
<b>No Vowels Upper</b>	Set this property true or false to indicate whether or not to convert alphabetic data containing no vowels to all uppercase. ex. mlk converts to MLK.
<b>Ignore Mixed Case</b>	Set this property true or false to indicate whether or not to convert mixed-case text. Use this setting to preserve existing mixed-case text. Text only converts when <b>Text-In string</b> is all uppercase or lowercase.

[🔗](#) **Additional Information:** See the [Task Factory Error Row Handling](#) article for more information about this functionality.